

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	5	(US-4028536-\$ or US-4194113-\$ or US-4453128-\$ or US-4885632-\$ or US-5877736-\$).did.	USPAT	OR	ON	2004/11/17 15:50
L6	90905	display near3 driv\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:09
L7	5	5 and test\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 15:52
L8	14302	6 and test\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 15:54
L9	2261	8 and multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 15:55
L10	945	9 and leads	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:24
L11	45	10 and voltage adj generator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 15:55
L12	0	11 and test adj reference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 15:56

L13	6	10 and test adj reference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 15:57
L14	5	13 and switch\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:01
L15	0	14 and select\$4 near (voltage or potential)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 15:58
L16	11308	display adj driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:02
L17	12	16 and test adj reference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:02
L18	5	17 and multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:02
L19	1	18 and voltage adj generator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:02
L20	296	(display near3 driv\$4) near3 test\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:10

L21	13	20 and (test adj reference or vref or potential near reference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:25
L22	2	21 and multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:11
L23	2	21 and (multiplexer or mux)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:12
L24	2	23 and (voltage adj (generator or supply) or power adj (generator or supply))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:14
L25	30	9 and leads near3 multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:24
L26	40219	"30" and (test adj reference or vref or potential near reference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:25
L27	4	25 and (test adj reference or vref or potential near reference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/17 16:25
S1	10073	display adj driver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/09 10:26
S2	70	(display adj driver) and test\$3 near (driv\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/09 10:27

S3	34	((display adj driver) and test\$3 near (driv\$3)) and leads	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/09 10:27
S4	1	(((((display adj driver) and test\$3 near (driv\$3)) and leads) and multiplex\$4) and switch\$3) and reference adj potential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/11 14:35
S5	1	(((((display adj driver) and test\$3 near (driv\$3)) and leads) and multiplex\$4) and switch\$3) and first adj switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/09 10:29
S6	15	(((((display adj driver) and test\$3 near (driv\$3)) and leads) and multiplex\$4) and switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 18:36
S7	15	((((display adj driver) and test\$3 near (driv\$3)) and leads) and multiplex\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/11 14:34
S8	32	((((display near driv\$3) and test\$3 near (driv\$3)) and leads) and multiplex\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/11 14:34
S9	32	(((((display near driv\$3) and test\$3 near (driv\$3)) and leads) and multiplex\$4) and switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/02/11 14:35
S10	10	(((((display near driv\$3) and test\$3 near (driv\$3)) and leads) and multiplex\$4) and switch\$3) and reference adj (potential or voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 22:24
S11	561	(display adj driver) and test\$3 and (leads or wires or electrodes) and multiplex\$4 and switch\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 18:37
S12	124	((display adj driver) and test\$3 and (leads or wires or electrodes) and multiplex\$4 and switch\$3) and reference adj (potential or voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 18:38

S13	10	((((display adj driver) and test\$3 and (leads or wires or electrodes) and multiplex\$4 and switch\$3) and reference adj (potential or voltage)) and first adj switch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 18:38
S14	7	(((((display adj driver) and test\$3 and (leads or wires or electrodes) and multiplex\$4 and switch\$3) and reference adj (potential or voltage)) and first adj switch\$4) and second adj switch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 18:38
S15	1	((((((((display adj driver) and test\$3 and (leads or wires or electrodes) and multiplex\$4 and switch\$3) and reference adj (potential or voltage)) and first adj switch\$4) and second adj switch\$4) and amplifier) and voltage adj generat\$4) and common adj potential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 18:39
S16	3	((((((((display adj driver) and test\$3 and (leads or wires or electrodes) and multiplex\$4 and switch\$3) and reference adj (potential or voltage)) and first adj switch\$4) and second adj switch\$4) and amplifier) and voltage adj generat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 18:39
S17	7	((((((((display adj driver) and test\$3 and (leads or wires or electrodes) and multiplex\$4 and switch\$3) and reference adj (potential or voltage)) and first adj switch\$4) and second adj switch\$4) and amplifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 18:42
S18	154	display adj driver with test\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 18:42
S19	75	(display adj driver with test\$4) and (leads or electrodes or wires)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 18:43
S20	1	((((((display adj driver with test\$4) and (leads or electrodes or wires)) and multiplex\$4) and amplifier) and reference adj (potential or voltage)) and switch\$4 near3 (leads or wires or electrodes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 18:44
S21	6	(((((display adj driver with test\$4) and (leads or electrodes or wires)) and multiplex\$4) and amplifier) and reference adj (potential or voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 18:48

S22	1564098	display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 18:48
S23	1774	display and (driver adj circuit or driver) near test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 18:49
S24	743	display and (driver adj circuit or driver) near test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 18:50
S25	2	(display and (driver adj circuit or driver) near test\$3) and (display adj driver) near test\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 18:51
S26	0	((display and (driver adj circuit or driver) near test\$3) and (display adj driver) near test\$4) and multiplex\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 18:51
S27	24	((display adj driver with test\$4) and (leads or electrodes or wires)) and multiplex\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 18:52
S28	11	((display adj driver with test\$4) and (leads or electrodes or wires)) and multiplex\$4) and amplifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 18:53
S29	0	"20020093992".URPN.	USPAT	OR	ON	2004/03/16 18:54
S30	4	"5877736".URPN.	USPAT	OR	ON	2004/03/16 21:14
S31	5	(US-5877736-\$ or US-4194113-\$ or US-4028536-\$ or US-4885632-\$ or US-4453128-\$).did.	USPAT	OR	OFF	2004/03/16 21:16
S32	5	((US-5877736-\$ or US-4194113-\$ or US-4028536-\$ or US-4885632-\$ or US-4453128-\$).did.) and test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 21:16
S33	21	testing near driver adj circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 21:25

S34	7	(testing near driver adj circuit) and (leads or wires)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 21:25
S35	1	((testing near driver adj circuit) and (leads or wires)) and multiplexer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 21:26
S36	2	(testing near driver adj circuit) and multiplexer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 21:28
S37	383	testing adj display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 21:28
S38	26	(testing adj display) and multiplexer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 21:29
S39	10	((((testing adj display) and multiplexer) and amplifier) and leads	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 21:29
S40	0	(((((testing adj display) and multiplexer) and amplifier) and leads) and switch) and reference adj potential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 21:30
S41	1	(((((testing adj display) and multiplexer) and amplifier) and leads) and switch) and test adj potential	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 21:30
S42	9	(((((testing adj display) and multiplexer) and amplifier) and leads) and switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 21:30
S43	16	((testing adj display) and multiplexer) and amplifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 21:31

S44	10	(((((display near driv\$3) and test\$3 near (driv\$3)) and leads) and multiplex\$4) and switch\$3) and reference adj (potential or voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 22:26
S45	6	(((((display near driv\$3) and test\$3 near (driv\$3)) and leads) and multiplex\$4) and switch\$3) and reference adj (potential or voltage)) and amplifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 22:26
S46	1	(((((display near driv\$3) and test\$3 near (driv\$3)) and leads) and multiplex\$4) and switch\$3) and reference adj (potential or voltage)) and amplifier) and first adj switch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 22:26